


AD-A229 574

2



DTIC
ELECTE
DEC 19 1990
S D
Co



DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

DEPARTMENT OF THE AIR FORCE
AIR UNIVERSITY
AIR FORCE INSTITUTE OF TECHNOLOGY


Wright-Patterson Air Force Base, Ohio

2

100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918

Approved for public release; distribution unlimited

The opinions and conclusions in this paper are those of the author and are not intended to represent the official position of the DOD, USAF, or any other government agency.



Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	

AFIT/GEM/LSM/90S-5

A MANAGEMENT INFORMATION SYSTEM FOR
THE ENERGY CONSERVATION PROGRAM

THESIS

Presented to the Faculty of the School of Systems and Logistics
of the Air Force Institute of Technology

Air University

In Partial Fulfillment of the
Requirements for the Degree of
Master of Science in Engineering Management

Benjamin H. Cutler III, B.S.E.E.

First Lieutenant, USAF

August 28, 1990

Approved for public release; distribution unlimited

Table of Contents

	Page
Acknowledgements	ii
List of Figures	iv
List of Screens	v
Abstract	vi
I. Introduction	1
Overview	1
Background	1
Purpose of this Study	5
General Issue	5
Specific Problem	6
Research Objective	6
Investigative Questions	7
Scope and Limitations	7
II. Methodology	9
Overview	9
Methodology Justification	9
Research Questions	11
Investigative Question 1	11
Investigative Question 2	11
Investigative Question 3	12
Investigative Question 4	12
Investigative Question 5	12
Investigative Question 6	13
Investigative Question 7	13
Investigative Question 8	13
III. Findings	14
Overview	14
Research Questions	14
Investigative Question 1	14
Investigative Question 2	15
Investigative Question 3	20
Investigative Question 4	21
Investigative Question 5	22
Investigative Question 6	24
Investigative Question 7	25
Investigative Question 8	26
System Structure	26
Programs	28

	Page
User Screens	28
UVERUD	28
UBILUD	30
UMETUD	34
Reports	38
BILL	38
UTIL	39
DEIS	40
Items Excluded from Current Implementation	40
IV. Summary and Recommendations	43
Summary	43
Recommendations	44
Problem 1	44
Problem 2	45
Problem 3	45
Problem 4.	45
Problem 5	45
Appendix: Energy Conservation Officer Duties and Responsibilities Questionnaire	46
Bibliography	50
Vita	52

List of Figures

Figure	Page
1. Past Air Force Budgets	4
2. Power Factor Triangles	18

List of Screens

Screen	Page
1. Utility Contract Directory (UVERUD)	29
2. Utility Contract General Information (UVERUD)	30
3. Utility Contract Rate Structure (UVERUD)	31
4. Monthly Utility Bill Directory (UBILUD)	32
5. Monthly Electricity Invoice (UBILUD)	33
6. Monthly Natural Gas Invoice (UBILUD)	34
7. Monthly Water Invoice (UBILUD)	35
8. Facility Meter Directory (UMETUD)	36
9. Facility Meter Data (UMETUD)	37
10. Facility Meter Readings (UMETUD)	38
11. Facility Meter Consumption (UMETUD)	39
12. Facility Billing Month Selection (BILL)	40
13. Utility Budget Period Selection (UTIL)	41
14. DEIS 11 Month Selection (DEIS)	42

Abstract

→ This study investigated the possibility of creating an energy accounting system based on currently identified objectives. The initial focus was to determine if such a system would be useful. By reviewing literature, it became obvious that the rd conditions which rd lead to the energy crises in the 1970's still exist. In fact, most of the indicators ^{show} are that the United States is more dependent upon foreign oil than at any time in the past. ^{There was also a} Couple this finding with the failure to meet the 1985 energy reduction goal of 20%, and it is obvious that something needs to be done.

→ Adding to the problem is escalating pressure to trim the federal budget. The greatest pressure is on the Department of Defense. ^{So} Thus, there is a need to improve the methods used to determine how to decrease facility energy consumption. → It was found

The findings were that any new system needs to decrease the time required to prepare reports, allow ^{for} the flexibility to customize reports, and provide a method for upward reporting of contract data. The result of this study showed that it was possible to create such a system, but given the tools currently available not all of the objectives were

obtainable. Keywords: *Management engineering; Oil consumption; Energy management/consumption; Military facilities; Theses.*

(NMS) →

A MANAGEMENT INFORMATION SYSTEM FOR THE ENERGY CONSERVATION PROGRAM

1. Introduction

Overview

The purpose of the discussion presented in this chapter was to provide the justification, purpose and parameters for this research. To get a thorough understanding of the problem, it was necessary to assess the environment surrounding the research problem. This evaluation included looking at the energy conservation program, future energy consumption trends, and the duties and responsibilities of energy conservation personnel. Once this was done, the focus was narrowed to describe the precise research topic.

Background

The Air Force's interest in energy conservation started in the 1970's when the United States experienced several energy crises. These crises were precipitated by the Organization of Petroleum Exporting Countries' (OPEC) decision to limit oil production of its member nations. During that time over 60 percent of the world's oil production was controlled by OPEC (1:6). This highlighted the United States dependence on foreign oil and proved its market was vulnerable to oil shortages. The United States imported 35 percent of its oil (2:17).

One of the Federal Government's reactions to the decrease in the oil supply was Executive Order 12003, which made it mandatory for

federal agencies to reduce energy consumption. The Air Force implemented this Order in the Energy Conservation (ECON) Program and published its Energy Plan as a guide for achieving the objectives of the Executive Order. The plan separated energy consumption into three different areas, aircraft fuels, vehicle fuels and facility energy, and tasked different organizations to manage each of them. This paper deals exclusively with facility energy and Civil Engineering (CE) personnel's responsibilities in managing the energy conservation program.

The Air Force's energy reduction target for the 10 years between Fiscal Year (FY) 76 and FY85 was 20 percent. This optimistic reduction goal was feasible with judicious changes to facilities. Unfortunately, the first actions taken to meet the goal were actually reactions. The Air Force wanted an immediate decrease in consumption. Thus, building space conditioning (air conditioning and heating) was targeted as the quickest way to achieve significant reductions. The possible side effects of this approach, such as the decrease in worker productivity, were ignored.

The next step was the upgrade of older facilities. If a facility was scheduled for renovation, energy efficient windows and doors were added to the project. When a mechanical or electrical system was replaced due to functional problems, the replacement had to meet minimum energy efficiency standards.

Facilities showing poor energy performance, but not scheduled for renovation, were upgraded with energy efficient doors and windows and additional ceiling insulation. These changes to programmed renovations

and these additional small projects were relatively inexpensive and quickly paid for themselves with reduced energy cost.

In 1976 the Air Force initiated the Energy Conservation Investment Program (ECIP). This program was designed to provide additional funding for energy conservation projects which would pay back the initial investment within 10 years (3:60). The projects identified for this program were presented to congress as a separate funding request package.

Even with the special attention and high visibility of the energy program, the Air Force did not meet the 1975 goal; the reduction achieved in facilities energy consumption was only 18.6 percent (4:19).

In 1985, the Air Force revised its energy plan. This new plan mandated a further 10 percent reduction in facility energy use by 30 September 1995. This plan attacked the reduction from two directions. First, existing buildings (buildings with a beneficial occupancy date before 1 October 1985 - FY86) must have reduced energy consumption by an average of 10 percent from the amount they used in 1985.

Second, new buildings (buildings with a beneficial occupancy date after FY85) must have been designed to consume 10 percent less energy than a building used for the same activities constructed before FY86. The Air Force established energy budget figures (EBF) (maximum energy consumption quantities) for each building category code (designation of facilities by usage). The designer had to show that the proposed design of any new facility achieved this target value. Building energy consumption was metered and the first year's consumption reported to Headquarters Air Force.

To monitor the progress made towards both of these targets the ECOM Officer constantly tracks the energy used by new and existing facilities and compares their present usage to the FY85 consumption quantities.

Compounding the technical problems, the Air Force Budget has not kept pace with inflation (Figure 1.). The Air Force Budget Authority has decreased from \$115,444 million in FY 1985 to \$97,622 million in




Figure 1. Past Air Force Budgets (5:67)

FY90 (5:67). This is a 15 percent reduction in spending power over the last five years. This trend is expected to continue:

It was further told (by Defense Secretary Frank Carlucci) the services to (sic) assume a "five-year drought" in which their funding will be ten to twelve percent lower than projected by the old, now-defunct Five-Year Defense Plan.
(6:16)

The decreased budget included the elimination of ECIP (3:62). Energy projects which would have qualified for special consideration have had to compete with mission requirements for funding. It has become increasingly difficult to fund large energy savings projects.

Another important issue is the current reliance on foreign oil. In 1988 the United States imported 37 percent of the oil consumed. This is a higher percentage of the oil consumed in the United States than at the beginning of the 1973 oil embargo. Assuming a moderate increase in oil usage and the trend towards domestic production loss, this percentage could increase to 55 percent by the year 2000. This equates to 10.2 million barrels of oil per day (1:9). "Another oil crisis is definitely on the horizon (2, 17)." To avoid this, the United States and the Air Force must make further reductions.

Purpose of this Study

General Issue. To comply with the Air Force Energy Plan, the energy conservation officer must be able to identify buildings which are wasting the most energy and implement plans to reduce the waste.

Using utility and other records, collect data on various forms of energy used. Establish, where possible, the historical consumption profile of buildings and systems to identify how much energy typically is consumed and primary causes of variances. The energy use profile will help in identifying energy conservation options which can be em-

ployed. This data also establishes the benchmark from which energy reduction goals can be set for the team to work toward. Simply stated, unless you do this, you won't know when your energy conservation job is done for each building. (7:2-2 to 2-3)

The "other records" are historical meter readings. However, "Since 1975, energy reductions have become increasingly difficult to achieve (3:9)." The energy fixes have become much more expensive. To achieve sufficient reduction, the projects now completely replace working mechanical and electrical building systems and renovate otherwise functional facilities.

With fewer and fewer dollars available, the ECON program must target facilities for conservation measures which save the most energy for each dollar invested. This requires tracking many facilities to find those most in need of conservation action. This compels the energy conservation planners to examine hundreds of buildings and utility meter readings to determine how each facility performs.

Specific Problem. The problem dealt with in this thesis, was determining how the information needed for tracking energy consumption of Air Force facilities can be collected, stored and retrieved to optimize the investment in energy conservation. The discussion of the general issue raised many question such as: how to determine which facilities need work or where to get the money for energy conservation projects. However, the first topic to investigate has to be how to collect and process the data needed to determine the best approach to reducing energy waste.

Research Objective. This research develops and implements an energy tracking and reporting system at Wright-Patterson AFB. The

information gained can be used to develop a system which might be effective at other bases.

Investigative Questions. To realize the objective of this research the criteria for a tracking system had to be ascertained. The following research questions were used to obtain those criteria.

1. What available data can be used to determine the energy conservation performance of a facility?
2. In what form is the data which will be used for input to the MIS?
3. What information can be developed from the data to compare the energy conservation performance of the Base facilities?
4. What format provides the easiest to use information?
5. Besides energy conservation performance reports, what additional information can be provided from the collected data?
6. Is there any system currently available which will meet the requirements determined in the previous questions?
7. What method is the most appropriate to provide useful information about the energy use pattern of a facility? One possibility is a computer program on the WANG computer system.
8. Can a system defined by the previous questions be implemented AIR FORCE wide?

Scope and Limitations

The outcome of this research was a system for displaying the energy consumption patterns of Air Force facilities. The investigation included evaluations of both manual (using pencil and paper calculations) and computerized systems. The determination on the type of system developed depended upon the results of the research.

The main limitation was that any computer application must run on the WANG Computer System. This computer was chosen to support the Work

Information Management System (WIMS) and is available at most CE organizations. This will provide for the widest possible distribution. The programming languages provided with the WIMS are Basic, Fortran and COBOL (Common Business Oriented Language). The intended purpose of COBOL was the development of data management programs and is therefore the logical language to use for this type of program. The author had to learn COBOL to develop any software solutions to this thesis.

Due to time constraints of the AFIT Graduate Engineering Management Program and the data needed for a complete operational test, a prototype system was implemented and evaluated at only one sight, Wright-Patterson AFB.

II. Methodology

Overview

The primary research method used was historical. Literature reviews of public documents, military policies, and military regulations, provided answers to most of the research questions. The remaining answers were developed from interviews with Air Force Personnel who prepare the Defense Energy Information System Report (DEIS II), Air Force Engineering and Services Center Work Information Management System (WIMS) developers, and the personal experiences of the author.

Methodology Justification

The MIS developed in this thesis has to meet the requirements of Air Force regulations and policies, and be compatible with private industry practices. The author gathered data from documents as to the information contained on different utility company billing forms, the various energy reports required by Air Force regulations, and the energy reports required by Air Force Regulations and Policies. Previous attempts at developing energy tracking systems were reviewed.

Historical research is the consolidation of information about a given topic and the development of a coherent picture on the current state of knowledge about that topic. The researcher examined what has been done to define the problem and what has been proposed as solutions to the problem. The research reviewed previous research and applied inductive logic to formulate a proposed solution to the problem. The final step was to test the hypothesis. This resulted in new knowledge (8:48-49).

Since past events produce the information used as the basis for the solution, the relevance of the results of this report is dependent upon on the reliability of the sources and the validity of the information.

The first criterion, source reliability or external appraisal, was authenticating the source. Can the source be proven to be what it claims to be? To satisfy this requirement, the documents used for this report came from recognized publications such as professional journals, reputable trade journals and government documents and reports.

The second criterion, content validity or internal appraisal, was verifying the information obtained from the source. To satiate criticism, the critical information was supported by other sources that report the same or similar results; these additional sources also met the requirement for source reliability. (9:148, 153)

There are two dangers in using the historical methodology, insufficiency of data and improper selection of data (9:159). To overcome these problems, the researcher made an effort to do a thorough literature review and to incorporate all pertinent data. While this does not guarantee information was not overlooked, it does increase the rigor of the methodology.

In conjunction with the literature search, telephone interviews were conducted with 17 randomly selected bases. The initial list of interviewees was developed from lists provided by the Major Command Staff of Air Training Command, Military Airlift Command, Strategic Air Command, and Tactical Air Command. These interviews were used to determine the current procedures used at base level organizations. The exact questions used for the interviews are provided as Appendix A.

Research Questions

The criteria used to develop the energy tracking system was established by the answers to the eight questions below.

Investigative Question 1.

What available data can be used to determine the energy conservation performance of a facility?

The purpose of this question was to determine what type of data needs to be collected to enhance the evaluation of a facility's energy consumption.

Two avenues were pursued as sources for information. First, the literature review provided information on what has been shown to have significant impact on building energy consumption. The second source was the interviews of selected base level Energy Conservation Officers. This step reinforced the first and gave a picture of what data is gathered today.

Investigative Question 2.

In what format is the data which will be used for input to the MIS?

The intention of this question was to decide what is needed to manipulate the data once it has been collected in the database. Data has to be standardized to allow direct comparison.

Base level Energy Conservation Officers and the Air Force Engineering and Services Center (AFESC) answered this question. Through the use of interviews, information about the data gathered at base level was obtained. The AFESC provided a program manual developed for a different computer system. The manual contained information about the type of data found on utility bills.

Investigative Question 3.

What information can be developed from the data to compare the energy conservation performance of the Base facilities?

Once the data had been gathered and standardized, the intention was to develop some information which can be used to manage the Energy Conservation Program. The literature review of Air Force regulations and reports on factors which effect energy consumption provided the measures needed to determine energy consumption at both the base level and the facility level.

Investigative Question 4.

What format provides the easiest to use information?

Even with the most complete database, sometimes the true usefulness is hidden because the information is presented in incomprehensible form. The literature of research on human and computer interfaces provided information on how to format the information to make it the easiest to read and comprehend.

Investigative Question 5.

Besides energy conservation performance reports, what additional information can be provided from the collected data?

Some of the data gathered to monitor energy consumption are used for other activities and reports. This research of the Energy Program presented an opportunity to increase the productivity in Civil Engineering by eliminating redundant handling of data.

A review of the uses of the data provided the information on the reports needed at base level and at the Major Commands.

Investigative Question 6.

Is there any system currently available which will meet the requirements determined in the previous questions?

Literature review and interviews were used to determine if any system was available which could meet the needs defined by the previous questions. A predominate requirement was that any system had to be usable to generate the reports required of Civil Engineering's Personnel.

Investigative Question 7.

What method is the most appropriate to provide useful information about the energy use pattern of a facility? One possibility is a computer program on the WANG computer system.

This question was to determine if a manual or computerized system would be the most efficient method of handling the data. This included the generation of the reports associated with the energy conservation program. The answers were determined from the telephone interviews with Base Level Energy Conservation personnel.

Investigative Question 8.

Can a system as defined by the answers to the previous questions be implemented AIR FORCE wide?

A common system would provide a means of sharing information and techniques between Energy Conservation Officers. It could also enhance training method by providing a standardized system.

The interviews of the Energy Conservation Officers provided the answer to this question by highlighting any major differences between the type of data collected and reported to command level agencies.

III. Findings

Overview

The purpose of this chapter is to detail the finding of the research portion of this thesis. To accomplish this, the investigative questions which were outlined in Chapter II and the structure of the developed MIS are discussed.

Research Questions

Investigative Question 1.

What available data can be used to determine the energy conservation performance of a facility?

The basic information needed to monitor energy usage is the quantity of energy consumed by the facility or base. However, most of the facilities are not metered. The Air Force requires bases to meter 35 percent of the base square footage, but that is inadequate. Many facilities are lumped together and an individual facility's energy usage cannot be measured (10). Furthermore, the majority of the metered facilities are new and should therefore be the most energy efficient. While the older buildings, where most of the potential gain exists, are less likely to be metered.

The size, use, and design of a building are the predominate factors which control the amount of energy that building will use. When these factors are combined with the number of occupants, the actions of the occupants and the effects of the weather, energy consumption predictions accurate enough to meet the current Air Force goals are nearly impossible. There is no perfect correlation between energy

consumption and any other factor effecting energy usage (11). For some facilities weather data in the form of Heating Degree Days (HDD) and Cooling Degree Days (CDD) follows the general trend of energy consumption (12:114). A system used to analyze the consumption of energy in facilities needs to include HDD and CDD.

The interviews yielded the same information as gathered from the documents reviewed. Besides quantity and temperature data, both of which are currently tracked in the Energy Conservation Program, no additional data is used to analyze energy consumption.

Investigative Question 2.

In what form is the data which will be used for input to the MIS?

This question was answered in two parts. Some facility consumption information is gathered by base personnel. Additional information is provided by the utility companies on the monthly utility invoices.

The data gathered at base level is either meter reading, consumption numbers taken from an Energy Monitoring and Control System, or Engineering estimates of consumption. The system needs to be able to handle both types of entries.

The utility bills come with many different pieces of data and in various forms, depending on the company and the type of utility provided.

Electricity can be charged by demand level, consumption quantity, reactive power, fuel charges and various other miscellaneous charges. There can also be rebates for past over charges.

Demand, consumption and reactive power charges can all be calculated using several methods. There are at least three methods for structuring the demand rate schedule and two ways of determining the billing demand.

The first demand rate structure is simply a flat fee for each Kilowatt (kw) of the highest demand experienced during the billing cycle. The second method, called Block-Hopkinson Demand Rate Schedule, charges different prices for different blocks of kw used. As an example, the cost maybe \$1.00 per kw for the first 100 kw demand, \$1.50 per kw for the demand between 100 kw and 200 kw, and \$2.00 per kw for all kw over 200. Finally, there is the Time of Day Demand Rate Schedule. Under this billing method the charge is based on the time of day the peak demand (highest demand experienced in the billing cycle) occurred. The actual rate structure can be either a flat fee or a blocked fee schedule. All of these rate schedules can also be structured so that prices differ seasonally.

The different methods by which the demand charge can be calculated are further complicated by having two methods for calculating the billing demand. The most straight forward is to use the actual peak demand recorded during that billing period. The more energy being used at a given instant in time the higher the demand and hence the higher the bill. The other method sets a minimum demand level and is used for cost calculation if the peak demand does not exceed that level. This minimum level can be set at a specific value in the contract or can be fixed as a percentage of a past peak demand.

Electrical consumption charges can be calculated from a flat or a blocked rate structure. Quantity is strictly determined by the amount of electricity used during the report period, as measured in Kilowatt Hours (kwh). It is not common for utility companies to charge different consumption rates at different times of day. This would require multiple meters or meters with dual recording capability.

The meters used on the electrical system use voltage and amperage to determine the amount of power being used by the customer. Because motor, transformers, and other types of equipment change the relationship between voltage and amperage the measured quantity can be different from the amount actually used. This difference is called reactive power. Reactive power can be charged at a flat fee or it can be added to the recorded demand to increase the billed demand. To determine the reactive power, readings are kept on the power factor of the metered demand. Power factor is the cosine of the angle (θ) between the actual power in kilo Volt Amperes (kVA) and the real power measured in kW (see Figure 2.). Reactive power is demand multiplied by the tangent of θ . While the actual methods for calculating the quantity of the reactive power which is chargeable are numerous, 4 methods are discussed in this study.

The first method is to charge for all the reactive power. The second is to charge for only the amount of reactive power above a percentage of the peak demand (see Equation (1)). The third method is to multiply the demand charge by a factor which is calculated as a ratio of the contract allowed power factor to the actual power factor for the billing period (see Equation (2)). The final method is to take the




Figure 2. Power Factor Triangles

difference between the allowed reactive power and the actual reactive power (see Equation (3)).

$$\text{Charged } kVAR = kVAR - (\text{Demand} \times \text{Contract Percentage}) \quad (1)$$

$$\text{Charged Demand} = \text{Demand} \times \frac{\text{Contract Power Factor}}{\text{Actual Power Factor}} \quad (2)$$

$$\text{Charged } kVAR = \text{Demand} \times (\tan(\theta_2) - \tan(\theta_1)) \quad (3)$$

where

$$\theta_1 = \cos^{-1}(\text{Contract Power Factor})$$

$$\theta_2 = \cos^{-1}(\text{Actual Power Factor})$$

The final item common on electric invoices, which might need calculation, is the fuel charge. When it occurs, this item is to

provide the utility company a method to pass on the increased or decreased cost for their primary fuel source. The term fuel charge is somewhat of a misnomer. In some contracts this term not only allows for a fluctuation in fuel cost, but it also provides the utility companies a way to recoup any excess costs associated with the production of their product.

There are other varied charges used infrequently with some electricity invoices. They vary widely and any database capable of handling all would be too cumbersome. Instead of producing specific fields for each of these unique charges, general areas are needed to allow for the incorporation of this miscellaneous data.

The natural gas bill, in comparison to the electric invoice, is very simple. The major problem is that there are three different measurement units which can be used to compute the bill. The first, cubic feet, is a unit of volume and is taken directly from a meter. The other two measures, therms and British Thermal Units (BTU), are units of energy and deal with the quantity of energy contained in a specific volume of natural gas. These units cannot be metered; they must be determined from laboratory tests. The approximate relationship is

$$1 \text{ cf} = 1 \text{ therm} = 1000 \text{ BTU's (1 mBTU)}$$

Facility gas meters are read using cubic feet and require a conversion factor between the unit used for the utility bill and the volume measurement taken from the facility meters. Other than this conversion, the calculation of the natural gas cost is simple. Consumption is charged at a flat rate or under a blocked rate structure and there are

no demand charges. There is the possibility of a fuel charge or other miscellaneous charges.

The water bill is the final invoice considered in this study. Though not an energy concern, it is a critical resource and fits into the structure of this system. With water, there is basically a consumption charge with possible additional miscellaneous charges.

Investigative Question 3.

What information can be developed from the data to compare the energy conservation performance of the Base facilities?

This is the heart of the energy conservation program. As mentioned in Investigative Question 1 there is no exact match between external influences and energy consumption. However, some facilities show a very high correlation between Degree Days and energy consumption. These are the non-industrial facilities, especially housing units (12:114). The general energy characteristics of a facility can be determined and compared to other similar facilities. More importantly, the usage pattern for a specific facility can be tracked to determine if it starts to deteriorate. Both of these techniques can assist in determining if work needs to be done on a facility.

Even the lack of correlation between weather and energy consumption gives basic information about the facilities energy usage pattern. By knowing the weather has little effect on the facility, the ECOM personnel can concentrate on different ways to reduce energy consumption in that facility. Also, if the facility starts to show a correlation between weather and energy consumption the energy

conservation personnel will be queued to look at that facility to locate the what caused of the change.

Using the basic information provided by energy consumption, facility size, and weather data (HDD and ODD), the energy conservation personnel can determine which facilities show the greatest promise for energy savings. In addition, they will know the most likely characteristics to modify to achieve a reduction in energy usage. The system must track the consumption, facility size, and Degree Days.

Investigative Question 4.

What format provides the easiest to use information?

The input format and the resultant output of the reports from this system both effect the usefulness of the system. This discussion does not include hardware changes. The structure of the input should be such that it follows the natural flow of information within the organization (13:28). This means the data should be entered at the most logical point and the information should be available were it is needed.

Additionally, the structure of the program should facilitate data entry. The AFESC WIMS programmers developed a standard format for database programs. This is to make use of the program function keys consistent between application and to make transition between applications easier. (The complete explanation for this system is in the School of Engineering and Services MGT 003 - ESIMS Administrator Course Guide Source Generator.)

The output of the system should be such that it provides flexible information where and when it is needed. The WIMS provides a report utility which, when used with the databases on the VS, allows each user

to tailor reports to their specific need. The output reports should be clear, concise, and usable. The best method would include some graphical presentation.

Neither columns and rows of statistics in tabular arrangement nor the seemingly endless listings of figures in textual form can possess the clarity, appeal, or meaningfulness of a well-designed chart. By emphasizing important salient relationships, graphs and charts may also be of immense service in the location and definition of problems and in the discovery of hidden facts. (14:v)

The graphical representation provides more information in an easier to understand format.

Investigative Question 5.

Besides energy conservation performance reports, what additional information can be provided from the collected data?

There are at least four other uses for energy conservation data. The first is the billing of reimbursable customers. The second is to assist in the preparation of annual utility contract reviews. The third is for monthly upward reporting on utility funds. And finally data can be used for preparing testimony in utility rate cases (15).

The billing system is a basic function which allocates the cost of utilities to agencies which are separately funded. This mainly deals with housing, hospitals, the Air Force Commissary, the Army Air Force Exchange, Moral Welfare and Recreation activities, other governmental agencies, and non-governmental organizations (16:3). The utility meter readings needed to charge these activities for consumption are available in the energy conservation program. Recording the meter readings once eliminates redundant handling of these meter readings and could reduce the work load associated with preparing the reimbursable bills.

The second common report is the yearly utility contract review. The utility bills are reviewed and the consumptions summed to present a picture of the total energy usage and the costs associated with a specific contract. This information is used in evaluating the terms of the contract to determine if the contract needs to be changed or updated. Again, most of the information for this report is gathered from data previously collected for the energy conservation program.

The third item is not common to all major commands. Some commands request monthly or quarterly reports from their subordinate units. An energy MIS has the potential to eliminate redundant handling of information for periodic reviews. This report tracks the amount of the energy budget which has been used and the amount of money earned from the reimbursable customers. Periodic reports fit with the billing system.

The final use is to determine the effect of a requested rate increase on the Government Installations which are serviced by the requesting utility company. Currently the data needed to prepare for these rate cases has to be gathered from each base under contract with the requesting utility company after the company announces it is seeking a rate increase. This is a time consuming process. First, the effected installations need to be identified and then the organization handling the analysis needs to contact the installations to get the necessary information. The energy MIS database could eliminate this by providing a source for data for future utility rate cases that constantly up dated as the changes occur.

Investigative Question 6.

What method is the most appropriate to provide useful information about the energy use pattern of a facility? One possibility is a computer program on the WANG computer system.

From the interviews it was discovered that 12 of the 15 respondents currently use a computer system. They report that the system saves them, on average, 65 percent of the time they would need to generate their reports manually. This highlights the performance benefits gained by using a computer system to do data processing.

While no specific question was asked regarding which sections of the organization performs which specific tasks, several interviewees said the person preparing the DEIS II report handled only a portion of the overall job. There is a split between those taking the meter readings, those preparing the DEIS II report, and those who monitor the budget.

The shop personnel are generally responsible for taking the meter readings. The readings are then used by the energy conservation personnel to prepare the DEIS II report and either the same person or, as in six of the bases surveyed, someone else prepares the other reports. This variety shows the use of the system needs to be decentralized. On the other hand, to reduce the number of times information is handled the system needs to have centralized data storage.

Investigative Question 7.

Is there any system currently available which will meet the requirements determined in the previous questions?

The current practice where each base develops their own system seems to comply with the requirements. It may not be the most efficient way. But, each system is tailored for that base and major command.

There are many draw backs to the current system. With such a variety of systems, it is hard to share techniques for analyzing data. And any comparison between bases is questionable. While some of the bases have benefitted from people who were capable of creating integrated systems which minimize the work load, others have only developed fragmented systems which help in one area but do not minimize redundancy. Even at bases where an effective system was developed, software maintenance and modifications become irritating problems.

There are several PC based energy tracking programs available in the commercial realm. One such program, FRASER from Omni Corp, is currently being used at Lackland AFB. Being a PC system restricts the usefulness by placing access to the system in a single area of the organization. FRASER does not offer decentralization or networking capability.

There is no system currently available that meets the full requirements of the system described by the research and envisioned by the author.

Investigative Question 8.

Can a system as defined by the answers to the previous questions be implemented AIR FORCE wide?

A system is possible at the bases within CONUS. The basic guidance of the energy conservation system is AFEPPM (Air Force Energy Program Policy Memorandum) 86-8 and the basic guidance for the utility services is AFR 91-5. Since all CONUS bases are covered by the same requirements, the same basic information, and the same data sources, the differences between bases are in the structure of their reports. All CONUS bases collect common data and report in similar frequency and format. Each command must deal with a variety of utility companies bill structures. Since the reports generated for each command can be tailored to meet their requirements these differences pose no problem. However, the structure of the utility bills can limit the applicability of this system. The final answer must wait until a system resulting from this study is placed in a large scale test.

System Structure

Most of the needs identified from the answers to the preceding questions are incorporated into the MIS. The needs identified but not included in the MIS are described later in this report. Those items which are incorporated fall into two broad categories, data collection and data manipulation.

Data collection includes collecting, storing, and upward reporting. The MIS has a decentralized data entry design which allows multiple offices to interact with the databases. It also has

centralized data storage permitting all users access to the complete data set. Finally, the system has the capability for upward reporting.

Data Manipulation encompasses invoice verification, unit conversion, consumption calculation, and resource allocation. The system checks utility invoices against charges calculated from contract terms. It also takes consumption data from the utility invoices and converts it into units required for Air Force reports. For facilities, the system calculates consumption from meter readings and charges only a specified percentage of the consumption against that meter. To facilitate report preparation, the system has the capability to allocate the consumption and cost from each invoice and facility meter in three different ways.

The system which resulted is a collection of three programs and three reports for the WANG VS computer system. The purpose for creating three programs followed the break down of the natural flow of information and the structure of the input data. The first program, UVERUD, deals with the Utility Contract Data. This program includes the rate structure and the general information on the contracts. The second program, UBILUD, handles the monthly utility invoices received from the local utility companies. This program verifies and stores the invoice data. The final program, UMETUD, handles the facility data. This includes the facility meter readings and some general information on the allocation of the resource.

The reports are used for billing reimbursable customers (BILL), developing input information for the DEIS II report (DEIS), and developing information used to track utility budget expenditures (UTIL).

Programs

User Screens. The programs were developed to include two screen types, directory screens and information screens. The directory screens are not updatable. They provide a means for finding a specific data record. To facilitate the presentation of these screens data records are provided to illustrate the format of the data types, this data is not coded into the program.

The information screens are updatable and the format used in this report to indicate the type of data accepted in each field would not be seen on the computer screen. To indicate that numeric data is allowed the field is displayed using underlines, to indicate an alphanumeric field a capital x (X) is used, and 9 is used to indicate a computed field.

UVERUD. This program (see Screen 1) provides the data entry interface for the utility contract database. The purpose for this database is two fold. First the data are used by the Air Force to analyze the impact of a requested rate increase on the Air Force. The information needed for the analysis is available and stored in a central database. With the contract data available in a common form, upward reporting to a central database is simplified. This allows quicker response time to requests for rate increases.

This database is also used at a local level to allocate and verify the cost and consumption of the monthly utility invoices (see Screen 2). The fields which control allocation are utility classification, energy category, and primary user . These fields determine how the portion of the utility invoice which is not otherwise distributed by a specific

Active		Utility Contracts Billing Data Updater	
Start Date	Contract Number	End Date	Consolidated Bill
- 90/07/01	100000000000000001000100		G01
- 83/06/29	5521000000237000022000900		R01
- 83/06/29	5521000000237000022001000		R01

Position the cursor and press ENTER to display the entire record.

(1)Keys (8)Find
 (9)Modify(10)Query (11)Add (12)Delete(13)Help (14)Path (15)Print (16)Retrn
 (26)Merge (27)Extrct(28)Move (29)Info (30)Histry(31)Rpts

Screen 1. Utility Contract Directory (UVERUD)

facility meter reading or consumption estimate will be handled. While all these fields allocate a portion of the consumption and cost, these three fields are used to produce different reports. The utility classification field is used to monitor the allocation of the utility budget. The energy category field is used to monitor the energy conservation targets. The primary user field is used to charge the appropriate agency for the cost of the utility they consumed during that month.

Other data stored in this database are the information needed to calculate consumption (the meter capacity and the meter multiplier) and

Contract Billing Information Screen

Installation Code: XXXX Revision: __
 Contract #: _____ Schedule: _____ Change #: _____

 Company Name: XX

 Primary User: XXXXXXXXXX Utility Classification: XXXXXXXXXX

 Energy Category: XXXXXXXXXX Consolidated Bill #: X __

 Customer Charge: _____ (M)inimum or (B)ase: X

 Meter Capacity: _____ Meter Multiplier: _____

 Minimum Load: _____ Rate: __._____

 Remarks: _____

 Effective Dates (YY/MM/DD) - Start: _____ End: _____

(1)Keys	(3)Desc	(5)Next	(8)Find
(9)Modify	(10)Query	(11)Add	(12)Delete
		(13)Help	(15)Print
		(20)Screen	(16)Retrn
		(29)Info	(32)Exit

Screen 2. Utility Contract General Information (UVERUD)

to determine the monthly bill (customer charge, minimum load rate structure, reactive power calculation method, and maximum demand).

The rate data stored in this database are used by the program UBILUD to verify the utility invoices (see Screen 3).

UBILUD. This program (see Screen 4) provides the interface for the monthly invoice database. It is updated at regular intervals. The data for the electric, natural gas, and water invoices are stored in this database. The result is a database which contains all the information necessary to calculate the basic unit cost of the utilities. This database also contains the actual base consumption information.

Rate Structure Screen							
Normal (excludes High Season)				High Season		From 00 to 00	
Block-Hopkinson Demand Rate Schedule							
Consumption	Cost	Demand	Cost	Consumption	Cost	Demand	Cost
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

Time of Day Demand							
On Peak		Off Peak		On Peak		Off Peak	
Demand	Cost	Demand	Cost	Demand	Cost	Demand	Cost
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

Ratchet Clause		Minimum PP: _____	
Maximum Demand: _____ Schedule:		Verification Method: _____	
Billing Demand: _____ % of Maximum Demand		KVAR Charge: _____	

(1)Keys	(3)Desc	(5)Next	(8)Find
(9)Modify	(10)Query	(11)Add	(12)Delete
(13)Help	(15)Print	(16)Retrn	(32)Exit
(20)Screen	(29)Info		

Screen 3. Utility Contract Rate Structure (UVERUD)

Using the UBILUD database in conjunction with the UVERUD database provides a method for verifying invoice price data are correct.

On the input screen for the electric invoices (see Screen 5) fields are provided to identify the meter used for determining consumption, the contract under which the rate structure is based, and the actual billing information. The billing data includes the meter reading, consumption, billing period peak demand, two fields for reactive power so that it can be entered as KVAR or as power factor, fuel charges, rebates, four fields for miscellaneous charges, and costs associated with each of these items as well as an overall cost.

Active		Monthly Utility Bill Updater	
Date	Meter#	Contract Number	
- 8910	000001	5521000000237000022001000	
- 8910	010001	1000000000000000001000100	
- 8910	020001	2000000000000000001000100	
- 8911	000001	5521000000237000022001000	
- 8911	010001	1000000000000000001000100	
- 8911	020001	2000000000000000001000100	
- 8912	000001	5521000000237000022001000	
- 8912	010001	1000000000000000001000100	
- 8912	020001	2000000000000000001000100	
- 9001	000001	5521000000237000022001000	
- 9001	010001	1000000000000000001000100	
- 9001	020001	2000000000000000001000100	
- 9002	000001	5521000000237000022001000	
- 9002	010001	1000000000000000001000100	
- 9002	020001	2000000000000000001000100	

Position the cursor and press ENTER to display the entire record.

(1)Keys (5)Next (7)Up (8)Find
 (9)Modify(10)Query (11)Add (12)Delete(13)Help (14)Path (15)Print (16)Retrn
 (26)Merge (27)Extrct(28)Move (29)Info (30)Histry(31)Rpts

Screen 4. Monthly Utility Bill Directory (UBILUD)

On the input screen for the natural gas invoices (see Screen 6) the same fields are provided as under the electric invoice with minor exceptions. Reactive power and demand are not included. The additions have to do with calculating the amount of energy contained in a quantity of natural gas. The basic unit of measure for natural gas is assumed to be in cubic feet. Two fields have been incorporated to allow for billing based on energy potential and for reporting the quantity of MBTU's consumed.

Finally on the input screen for the water invoice (see Screen 7) only the fields dealing with identifying the meter and the contract

Monthly Bills - Electricity			
Meter #:	Report Date:	Billing Date:	
Contract #:	Schedule:	Change #:	
Revision #:			
Meter Reading:		On Peak Demand:	X (Y for yes)
Consumption:		Cost:	
Peak Demand:		Cost:	
Peak Reactive Power:			
Power Factor:		Cost:	
Fuel Charges:	(per unit)	Cost:	
Remarks:	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Rebate:	
Other Charges:	Reason	Charge	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
		Cost:	
		Calculated Cost:	

(1)Keys	(3)Desc	(5)Next	(8)Find
(9)Modify	(10)Query	(11)Add	(12)Delete
(13)Help	(15)Print	(16)Retrn	
(17)Verify	(29)Info	(32)Exit	

Screen 5. Monthly Electricity Invoice (UBILUD)

along with the fields for meter reading, consumption, rebate, miscellaneous charges, and cost of each of these item and the total cost have been included.

The verification portion of this program checks the calculation of utility company invoices to insure their accuracy. This includes consumption, if meter readings are available, and the calculated costs of all individual items. If any of the individual items are wrong, a message describing the error appears on line twenty of the input screen. Total cost is not checked by the computer, but a calculated value for total cost is displayed below the value input by the user. This allows

Monthly Bills - Natural Gas			
Meter #: _____	Report Date: _____	Billing Date: _____	
Contract #: _____	Schedule: _____	Change #: _____	
Revision: _____			
Meter Reading: _____			
Consumption: _____			
Correction Factor: _____			
Corrected Consumption: _____	Cost: _____		
MBTU Factor: _____			
Fuel Charges: _____ (per unit)	Cost: _____		
Remarks: _____	Rebate: _____		
Account Charges:	Reason	Charge	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	_____	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	_____	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	_____	
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	_____	
		Cost: _____	
		Calculated Cost: _____	

(1)Keys	(2)First	(3)Desc	(4)Prev	(5)Next	(8)Find
(9)Modify	(10)Query	(11)Add	(12)Delete	(13)Help	(15)Print
(17)Verify			(29)Info		(16)Retrn
					(32)Exit

Screen 6. Monthly Natural Gas Invoice (UBILUD)

the user to determine the magnitude of the cost difference.

UMETUD. This program (see Screen 8) is the data entry mode for updating the database which contains the facility meter readings. Similar to the other programs, the first screen is the directory screen. Each meter has two additional screens, one containing general information about the meter and the other containing consumption data.

The general information screen (see Screen 9) provides the updatable fields useful for tracking, allocating, and manipulating the meter readings. The fields used for tracking include the facility where the meter is located, a description of the facility, a unique designator

Monthly Bills - Water		
Meter #: _____	Report Date: _____	Billing Date: _____
Contract #: _____	Schedule: _____	Change #: _____
Revision: _____		
Meter Reading: _____.-		
Consumption: _____.-	Cost: _____.-	
Remarks: XX	Rebate: _____.-	
Account Charges:		
	Reason	Charge
	XX	_____.-
	XX	_____.-
	XX	_____.-
	XX	_____.-
		Cost: _____.-
		Calculated Cost: _____.-
<div style="display: flex; justify-content: space-between;"> <div> (1)Keys (2)First (3)Desc (4)Prev (5)Next (9)Modify(10)Query (11)Add (12)Delete(13)Help (17)Verify (29)Info </div> <div> (8)Find (15)Print (16)Retrn (32)Exit </div> </div>		

Screen 7. Monthly Water Invoice (UBILUD)

for this meter, and the beneficial occupancy date (BOD). The fields used for allocating the energy metered are utility classification, energy category and customer name.

The final set of fields determine how much consumption is associated with a specific meter reading. How much of metered quantity is allocated to this user (17). And whether this is a sub-meter (this metered quantity is a portion of the quantity accounted for under another meter) (18).

Two different screens exist for entering consumption data. The first screen (see Screen 10) allows the user to enter the actual meter

Active		Meter Reading for Base Facilities			
Bldg	Meter	Category	BOP	Customer	Consolidated Bill
- 10274	B001	Base	850101	Base	B01
- 10830	B001	Base	851010	Hospital	B01
- 11435	B001	Base	850901	Base	B01
- 99998	G002	Housing	850101	Housing	G01
- 99999	G001	Base	850101	Base	G01

Position the cursor and press ENTER to display the entire record.

(1)Keys (8)Find
 (9)Modify(10)Query (11)Add (12)Delete(13)Help (14)Path (15)Print (16)Retra
 (28)Move (29)Info (30)Histry(31)Rpts

Screen 8. Facility Meter Directory (UMETUD)

reading. The program calculates the consumption based on this reading and the previous months meter reading. The consumption information is displayed in the indicated locations. In addition, the date of the reading is required to trigger the consumption calculations. This function is programmed in for two reasons. First, it provides the opportunity to calculate the number of degree days between meter readings, instead of the current method of using the degree day readings for the calendar month. Second, the program uses this field for not calculating consumption for the meter readings not yet entered. The reading date field is left blank until a reading is made. The computer,

BASIC METER DATA

Facility: _____ Facility Description: XXXXXXXXXXXXXXXXXXXX
Meter Number: X ____ BOD: _____
Utility Classification: XXXXXXXXXX Facility Size: _____
Customer Name: XXXXXXXXXX Energy Category: XXXXXXXXXX
Multiplier: _____ Maximum Meter Reading: _____
Percentage of Metered Usage Applied to This Account: __.____
Is this a Master Meter: X Master Meter Number: ____ X ____
Consolidated Bill Number: X ____ (R)eading or (C)onsumption: X

(1)Keys (3)Desc (13)Help (15)Print (16)Retrn
(10)Query (20)Screen(29)Info (32)Exit

Screen 9. Facility Meter Data (UMETUD)

sensing a blank field, will not subtract the current months reading from next months reading (defaulted to zero) thus avoiding a negative consumption.

Because other methods exist for determining consumption besides reading from a traditional meter, this program permits the direct entry of consumption (see Screen 11). Two methods which need this capability are readings taken from an EMCS system (18) and estimates based on engineering principles (2, 17).

This database, unlike UBILUD, also contains the fields necessary for allocating the metered consumption. This was done for two reasons.

METER READING SCREEN			
Facility: _____		Facility Description: XXXXXXXXXXXXXXXXXXXX	
Meter #: X _____		Fiscal Year: _____	
	Reading	Consumption	Date Read (yy/mm/dd)
Sep	_____.	_____	_____
Oct	_____.	999999999	_____
Nov	_____.	999999999	_____
Dec	_____.	999999999	_____
Jan	_____.	999999999	_____
Feb	_____.	999999999	_____
Mar	_____.	999999999	_____
Apr	_____.	999999999	_____
May	_____.	999999999	_____
Jun	_____.	999999999	_____
Jul	_____.	999999999	_____
Aug	_____.	999999999	_____
Sep	_____.	999999999	_____
Consumption for this FY to date: 9999999999			
<u>Make your modifications and press ENTER.</u>			
(1)Keys		(3)Desc	
(10)Query		(13)Help	(15)Print (16)Retrn
		(20)Screen(29)Info	(32)Exit

Screen 10. Facility Meter Readings (UMETUD)

One, the amount of data needed monthly for each of the meters is small. This small size allows each record to contain a full years data. The overhead needed to include allocation data was negligible and the simplicity gained by placing all the data associated with a specific meter in one updater provides advantages when creating reports. Two, since in some cases different organizations occupy the same facility the ability to associate meters and organizations is necessary.

Reports

BILL. This is the report (see Screen 12) used to calculate the charges to be assessed to the separately funded agencies. The user only

METER READING SCREEN		
Facility: _____	Facility Description: XXXXXXXXXXXXXXXXXXXX	
Meter #: X _____	Fiscal Year: _____	
Reading	Consumption	Date Read (yy/mm/dd)
Sep	_____	_____
Oct	_____	_____
Nov	_____	_____
Dec	_____	_____
Jan	_____	_____
Feb	_____	_____
Mar	_____	_____
Apr	_____	_____
May	_____	_____
Jun	_____	_____
Jul	_____	_____
Aug	_____	_____
Sep	_____	_____

Consumption for this FY to date: 9999999999

Make your modifications and press ENTER.

(1)Keys	(3)Desc	(13)Help	(15)Print	(16)Retra
(10)Query	(20)Screen	(29)Info	(32)Exit	

Screen 11. Facility Meter Consumption (UMETUD)

needs to determine which month to calculate, the remaining information should have been supplied in the three databases discussed above. This report prepares only one months at a time.

UTIL. This report (see Screen 13) tracks budgeting information. It tracks how much has been spent from the different utility funds. For most bases these include the base utility budget and housing budgets. It also calculates how much of the reimbursed money has been earned. This report can calculate by month or by quarter and includes an accumulative field for the current and previous report periods.

Facility Billing Preparation

Fiscal Year: 90

- OCT
- NOV
- DEC
- JAN
- FEB
- MAR
- APR
- MAY
- JUN
- JUL
- AUG
- SEP

Position the cursor and press ENTER to select report period.

(16)Retrn

Screen 12. Facility Billing Month Selection (BILL)

DEIS. This report (see Screen 14) calculates information about the utilities encompassed by this system which is needed for the DEIS II report. The different energy categories are reported separately. The information used to separate this data is contained in the fields energy categories and BOD in the program UMETUD.

Items Excluded from Current Implementation. While it would be ideal for the system to include all the options discussed in this research, several items are omitted. These items fall into two categories, things which would be nice to have, but which would not be necessary for the initial test and things beyond the programming skill

Utility Allocations	
Fiscal Year: 90	
-	OCT
-	NOV
-	DEC
-	JAN
-	FEB
-	MAR
-	APR
-	MAY
-	JUN
-	JUL
-	AUG
-	SEP
-	QTR 1
-	QTR 2
-	QTR 3
-	QTR 4
Position the cursor and press ENTER to select report period.	
(16)Retra	

Screen 13. Utility Budget Period Selection (UTIL)

of the author.

The first item left out is the degree day database. The lack of this capability does not restrict the system from achieving results comparable to the current techniques. It can easily be added after the system is successfully tested.

Another major item excluded is the ability to display the output information in a graphical form. There are two problems with using graphical format for reports under this implementation. The first is the limited number of graphical terminals at CE organizations. This would require the purchase of new equipment or the reallocation of the

DEIS II Input Preparation

Fiscal Year: 90

- OCT
- NOV
- DEC
- JAN
- FEB
- MAR
- APR
- MAY
- JUN
- JUL
- AUG
- SEP

Position the cursor and press ENTER to select report period.

(16)Retrn

Screen 14. DEIS II Month Selection (DEIS)

existing terminals. The second problem is the time available to create a graphical report. Time constraints do not permit producing the necessary programming code.

IV. Summary and Recommendations

Summary

The Management Information System developed in conjunction with this thesis was intended to be the first step towards a full implementation as recommended by the research. The most basic functions were incorporated to provide for the immediate usefulness. The results of the implementation at Wright-Patterson AFB proved the system does not provide all of the function necessary for a useful system.

In particular there were three items which restrict the usefulness of the current development. The first and most important weakness was the lack of a way for users to develop customized reports without writing computer code. The structure required by the different types of data made the WANG report utility useless for this task.

The next problem was the lack of a way to determine the current consumption per square foot of the existing base and housing facilities. The original understanding was that these features were handled by the current DEIS II program released from the center.

The final omission was the ability to establish a billing rate to charge reimbursing agencies based on the cost per unit of each of the utilities. The billing was calculated by dividing the cost of the utility by the quantity consumed. The current program ignored the provisions for passing along additional charges as spelled out in AFR 91-5.

These oversights in the basic research made the test at Wright-Patterson unprofitable for the Wright-Patterson personnel. The lack of

utility rate calculation excluded the system from being usable for billing reimbursable customers. Likewise, the lack of a method for calculating energy consumption per square foot eliminated energy tracking as a possible use.

This development did not meet the full set of goals desired for a functioning system. However, this collection of computer programs does seem to have promise. The preliminary research which defined this system gave the necessary outline for an energy conservation MIS. This implementation provided the fields for the utility invoices, meter readings, and contract data. This was and is a usable framework for further development.

Even the discovery of weaknesses in the implemented MIS gave information about further development. The three main databases and their data entry programs worked as designed. When used in conjunction with the recommended enhancements a centrally managed system can be developed. The advantage to this approach is that the data gathered will be useful in designing a better system.

With additional work, the system should be ready for a small test here at Wright-Patterson and then a large scale test, including other CONUS bases.

Recommendations

Problem 1. The first problem to tackle is to provide the rate structure as outlined in AFR 91-5. The most practical method would be to produce another database containing the rates for each consolidated bill on a monthly bases.

Problem 2. The next area to consider is to enhance the users ability to produce customized reports at base level. This might mean the acquisition of a relational database program for the VS computer system or conversion to a massive flat file.

Problem 3. Another problem to tackle is to provide the system a method for computing the consumption per square foot value used to track the progress in the energy conservation program.

Problem 4. To enhance the basic use of the system and transition from an MIS to a decision support system, the system needs the ability to determine facility's energy performance over time. This would allow an operator to graph the consumption per square foot over an extended period of time to see if any changes occur.

Problem 5. An additional enhancement would be to provide the comparison between consumption per square foot and the degree days. This could give the ability to determine if the building envelope improvements offer any potential savings.

Appendix: Energy Conservation Officer Duties
and Responsibilities Questionnaire

SECTION I. Demographic information to determine if any general characteristics exist among the people preparing the DEIS II Report.

1. Name:
2. Base:
3. Unit and Office Symbol:
4. Autovon Number:
5. What was your Last Degree?
6. How long have you been an Energy Conservation Officer or Utility Officer?
7. Have you received any formal training on Energy Conservation methods?
 - a. Yes
 - b. No
8. Which best describes your duties as an Energy Conservation Officer.

- a. It is covered by my job description.
- b. It is an additional duty.

SECTION II Specific question relating to the energy conservation program.

- 9. How many Electric Bills does your base receive?
- 10. What is the rate structure of these bills?
- 11. How many Natural Gas Bills does your base receive?
- 12. How many reports do you produce per month/quarter (choose time period)?
- 13. What percentage of your work day is used to produce these reports?

14. What percent of your time do you spend per month collecting energy data?
15. What types of data do you use for the energy conservation program?
16. Do you use a computer in the Energy Conservation Program?
 - a. Yes
 - b. No
17. If you answered yes to question 15, what percentage of the work is done by computer?
18. If you answered yes to question 15, which computer system is used for the energy conservation program?
 - a. Personal computer
 - b. Wang VS computer
 - c. Other
19. What percentage of the time you spend on the Energy Program contributes to cost savings?

20. Please list any other actions you take in performing your duty as an Energy Conservation Officer?

21. Please make any additional comments you have here?

Bibliography

1. Department of Energy. Annual Energy Outlook. DOE/EIA-0383(89). Washington: Government Printing Office, 1989.
2. Young, Clifton. "Energy Conservation During Times of Plenty," TIG Brief, 40: 17 (November-December 1988).
3. Department of the Air Force. Air Force Energy Plan. AFR 18-5. Washington: HQ USAF, 2 October 1987.
4. Lee, Col Clarence. "Air Force Energy Program," TIG Brief, 38: 19 (June 1986).
5. Nash, Collen A. "The Defense Budget-Revised," Air Force Magazine, 72: 66-67 (July 1989).
6. Correll, John T. "The Five-Year Drought," Air Force Magazine, 71: 16-20+ (February 1988).
7. National Bureau of Standards. An Approach for Managing an Energy Conservation Program. AFCEC-TR-77-11. Washington: Government Printing Office, April 1977 (AD-A041086).
8. Calkins, Lt Col Ronald R. "Can Academic Management Research be Profitable," Air University, 27: 47-55 (March-April 1976).
9. Hillway, Tyrus. The Introduction to Research. Boston: Houghton Mifflin Company, 1964.
10. Rumsey, Maj Hal A. Class Lecture in EMGT 555 Seminar in Engineering Management. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, 12 July 1990.
11. Morrill, Capt J. H. Isolating Energy Conservation Results in the Department of Defense. MS thesis, AFIT/GEM/DET/85S-15. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, September 1985 (AD-A160909).
12. Sliwinski, Ben J. "Analyzing Facilities Energy Data," The Military Engineer, 77: 114-115 (March-April 1985).
13. Dickson, Gary W. and James C. Wetherbe. The Management of Information Systems. New York: McGraw-Hill Book Company, 1985.
14. Schmid, Calvin F. and Stanton E. Schmid. Handbook of Graphic Presentation (Second Edition). New York: The Ronald Press Division of John Wiley & Sons, 1979.

15. Gildersleeve, Tom, Utility Rates Management Engineer. Telephone interview. Air Force Engineering and Services Center, Tyndall AFB FL, 6 September 1989.
16. Department of the Air Force. Real Property Operation and Maintenance: Utility Services. AFR 91-5. Washington: HQ USAF, 2 August 1982.
17. Young, Shirley, Funds Management. Personal interviews. 2750th Civil Engineering Squadron, Wright-Patterson AFB OH, 26 June and 16 July 1990.
18. Holt, Lt Col James R. Graduate Engineering Management Program Director. Personal interview. School of Systems and Logistics, Air Force Institute of Technology (AU), Wright-Patterson AFB OH, 8 June 1990.

Vita

First Lieutenant Benjamin H. Cutler ~~born on 20 September 1955~~
~~at Kalispell, Montana~~. He graduated from high school in Kalispell,
Montana in 1974. After serving in the United States Air Force for nine
years, he was selected for the Airman's Education and Commissioning
program. He completed this program with a bachelors of science degree
in electrical engineering from the University of Hawaii on 3 July 1986.
At the completion of Officers Training School, he was assigned to the
3498th Civil Engineering Squadron at Goodfellow AFB, Texas. During the
two and a half years at Goodfellow AFB, Lieutenant Cutler held the
primary job of electrical engineer in the design branch. In-additon to
being a design engineer, he served as the Energy Conservation Officer
for Goodfellow AFB from January 1988 until March 1989. In May of 1989
Lieutenant Cutler entered the Graduate Engineering Management program at
the Air Force Institute of Technology's School of Systems and Logistics.

~~address:~~ ~~1101 5th~~
~~Waco, Montana 00000~~

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE September 1990		3. REPORT TYPE AND DATES COVERED Master's Thesis
4. TITLE AND SUBTITLE A MANAGEMENT INFORMATION SYSTEM FOR THE ENERGY CONSERVATION PROGRAM			5. FUNDING NUMBERS	
6. AUTHOR(S) Benjamin H. Cutler, First Lieutenant, USAF				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Institute of Technology, WPAFB OH, 45433-6583			8. PERFORMING ORGANIZATION REPORT NUMBER AFIT/GEM/LSM/90S-5	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) This study investigated the possibility of creating an energy accounting system based on currently identified objectives. The initial focus was to determine if such a system would be useful. By reviewing literature, it became obvious that the conditions which lead to the energy crises in the 1970's still exist. In fact, most of the indicators are that the United States is more dependent upon foreign oil than at any time in the past. Couple this finding with the failure to meet the 1985 energy reduction goal of 20%, and it is obvious that something needs to be done. Adding to the problem is escalating pressure to trim the federal budget. The greatest pressure is on the Department of Defense. Thus, there is a need to improve the methods used to determine how to decrease facility energy consumption. The findings were that any new system needs to decrease the time required to prepare reports, allow the flexibility to customize reports, and provide a method for upward reporting of contract data. The result of this study showed that it was possible to create such a system, but given the tools currently available not all of the objectives were obtainable.				
14. SUBJECT TERMS Energy Conservation, Computer Program, Database, Computer Programming, DEIS II, WIMS			15. NUMBER OF PAGES 62	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL	